



Permission to Open-Cut a Cramahe Township Road

Name of Applicant _____

Requests permission to **OPEN- CUT** Township Road Name _____

For the purpose of _____

At the following location _____

ONE HALF OF THE TRAVELLED PORTION OF THE ROAD MUST BE KEPT OPEN AT ALL TIMES TO ALLOW PASSAGE OF FIRE AND POLICE VEHICLES ETC.

The Applicant agrees to the following conditions:

1. To hold Cramahe Township and its agents harmless and free from all damages or suits arising from said excavation or work connected with same.
2. That all work from initial opening until final closing will be completed between the hours of 8:30 a.m. Local time Monday and 4:30 p.m. Local time Friday (except holidays) and that no work will be held over the weekend or holidays.
3. To erect and maintain proper barricades and to light same, when necessary to protect the traveling public.
4. To abide by all rules and regulations of the various labor acts affecting trenching, shoring, etc.

5. EXCAVATION IN ROAD SURFACE OR ROAD SHOULDERS

- a) Trench backfill up to a depth of 600 mm below road surface to be clean native material previously removed from the excavation, of a size not over 80 mm. If in the opinion of the Operations Manager or representative, the native material is not acceptable, the backfill will be pit run gravel or sand cushion up to depth of 300 mm below road surface.
- b) Granular backfill material to meet the current O.P.S. specifications for Granular "A" or Granular "B" Type 1 as the case may be.
- c) All backfill material to be place in lifts not to exceed 150 mm in depth and be thoroughly compacted with an approved type mechanical

vibrating compactor.

- d) In shoulders, the top 300 or 600 mm as the case may be, to be Granular "A".
- e) In the roadway traveled portion the top 250mm or 500mm of backfill to be Granular A".
- f) The top 50 mm in the roadway shall be cold mix asphalt compacted in place and left slightly higher than the existing roadway. The cold mix shall be maintained by the applicant for a period of not less than three (3) months. After the minimum three (3) month period the cold mix is to be removed and hot mix patch is to be applied in accordance with O.P.S. specification 310. The depth of asphalt is to match existing. Pavement adjacent to the width of 450 mm on each side. A minimum of 40 mm of asphalt will be place in the trench and compacted level with the milled surfaces. An approved geogrid reinforcement will be placed across the joint on each side of the trench for a minimum width of 900 mm and the final lift of asphalt will be placed
- g) Applicant shall submit a security deposit in the amount of \$ 1,000.00 which will be released after a one (1) year maintenance period upon request by applicant.

6. EXCAVATION IN ROAD ALLOWANCE OUTSIDE ROAD SURFACE AND SHOULDERS

- a) The disrupted area to be restored as nearly as practical to original condition. This includes new sidewalk, curbs, sod, etc., if applicable. The restored area to be to the satisfaction of the Roads Department.
- b) The applicant agrees to maintain or pay for maintenance of excavation for the period of one (1) year from the date of completion.
- c) The applicant agrees to pay for Inspector's fees and any other expenses incurred by the Township of Cramahe.
- d) The minimum depth of cover to be maintained within the right of way and across the travelled portion to be 1.2 metres.

7. FEES

- a) Cheques in the following amounts, made payable to the Township of Cramahe shall accompany the application:
 - \$100.00 Non-Refundable Administrative Fee,
 - \$1000.00 Deposit * Refund payable after completion of the road cut to the satisfaction of the Corporation.

8. SCALED PLAN

- a) Showing the street line(s) and other boundaries of the property upon which it is proposed to construct a open cut and the location of work on the property and upon the lands and street immediately adjoining thereto. Completed plans and specifications covering the construction of the open cut and its supporting framework.

9. INSURANCE

- a) An application for any road cut which will be on municipal property shall be accompanied by a letter from an insurance company duly authorized to underwrite insurance in the Province of Ontario certifying to the Municipality that the contractor or company has public liability and property damage insurance in the minimum amount of five million dollars (\$5,000,000) and that the Municipality is shown as named insured on the policy. The letter shall also certify that the policy provides that a minimum of thirty (30) days' notice must be given to the Municipality prior to any alteration, revocation or termination of the said policy. In addition, the said owner shall provide to the Operations Manager a written agreement to indemnify the Municipality (in a form and with wording satisfactory to the Municipality) against any and all action, causes of action, losses, damages, suits, judgments, orders, awards, claims, costs and demands.

I/We have read the foregoing and agree to all the terms and conditions as mentioned or implied.

Signature of Applicant

Date

Name (please print)

Telephone (include area code)

Mailing Address (include postal code)

Office Use Only

Cramahe APPROVAL is to OPEN-CUT Road Permit # _____ at the location specified.

Approval Date

Authorized Personal Signature